Copeia

1980

Published by
The American Society of Ichthyologists
AND Herpetologists



CONTENTS—1980, Nos. 1-4

ALVARADO, RONALD H. (see Stiffler, Daniel F.)	
Anderson, Valentine T. (see Ziskowski, John J.)	
And Anderson, Jr., William D. and Phillip C. Heemstra. Two new species of western Atlantic Anthias (Pisces: Serranidae), redescription of A. asperilinguis and review of Holanthias martinicensis	72
ARNOLD, C. R. (see Rabalais, Nancy N.)	14
AYLING, A. M. Hybridization in the genus <i>Pseudolabrus</i> (Labridae)	176
BACHOP, WILLIAM E. (see Twelves, Eric L.)	170
BALLINGER, ROYCE E. AND JUSTIN D. CONGDON. Food resource limitation of body growth rates	
in Sceloporus scalaris (Sauria: Iguanidae)	921
BANNON, MICHAEL P. (see Busack, Craig A.)	
BECHTEL, ELIZABETH (see Bechtel, H. Bernard)	
BECHTEL, H. BERNARD, JOHN W. NELSON AND ELIZABETH BECHTEL. Histochemical demonstra-	
tion of two types of albinism in San Diego gopher snakes (Pituophis melanoleucus annectens)	
by use of dopa reaction	932
BECKVAR, NANCY (see Seale, Dianne B.)	
BEITINGER, THOMAS L. (see Pettit, Michael J.)	
Bernstein, J. W. Parental care behavior in the cichlid fish Cichlasoma nigrofasciatum	682
BERVEN, KEITH A. (see Smith-Gill, Sandra J.)	
BIANCO, PIER GIORGIO AND TEODOR T. NALBANT. Redescription of Cobitis linea, with some	000
remarks on the subgenus Bicanestrinia (Cypriniformes: Cobitidae)	903
BICKHAM, JOHN W., KAREN A. BJORNDAL, MIKE W. HAIDUK AND WILLIAM E. RAINEY. The	F 40
karyotype and chromosomal banding patterns of the green turtle (Chelonia mydas)	540
BICKLER, PHILIP E. AND KENNETH A. NAGY. Effects of parietalectomy on energy expenditure in free ranging lizards	099
BILLS, FREDERICK T. AND CARL E. BOND. A new subspecies of tui chub (Pisces: Cyprinidae)	923
from Cowhead Lake, California	290
Bjorndal, Karen A. (see Bickham, John W.)	340
BJORNDAL, KAREN A. Demography of the breeding population of the green turtle, Chelonia	
mydas, at Tortuguero, Costa Rica	525
BLACK, D. ANN (see Howell, W. Mike)	
BOND, CARL E. (see Bills, Frederick T.)	
BORTONE, STEPHEN A. (see Howell, W. Mike)	
BOUCHEZ, NICOLE (see Ghiot, Françoise)	
Bradshaw, S. D., C. Gans and H. Saint Girons. Behavioral thermoregulation in a pygopodid	
lizard, Lialis burtonis	738
BROCKMAN, TODD (see Ferguson, Gary W.)	
BRUCE, ROBIN W. Protogynous hermaphroditism in two marine angelfishes	
BRUCE, ROBIN W. On the occurrence of very small terminal phase parrotfishes	887
BURR, BROOKS M. AND MARK S. ELLINGER. Distinctive egg morphology and its relationship to	
development in the percid fish Etheostoma proeliare	556
BUSACK, CRAIG A., GARY H. THORGAARD, MICHAEL P. BANNON AND G. A. E. GALL. An elec-	
trophoretic, karyotypic and meristic characterization of the Eagle Lake trout, Salmo gairdneri	410
aquilarum	418
BUTH, DONALD G. Evolutionary genetics and systematic relationships in the catostomid genus	000
Hypentelium Cane, James H. (see Miyamoto, Michael M.)	280
CARR, ARCHIE AND ANNE BARKAU MEYLAN. Evidence of passive migration of green turtle	
hatchlings in sargassum	366
CASTERLIN, MARTHA E. AND WILLIAM W. REYNOLDS. Diel activity of the bluespotted sunfish	300
Enneacanthus gloriosus	344
CASTLE, P. H. J. Identification of Congrogadus marginatus from Hawaii with the eel genus	0.1
Ariosoma (Pisces: Congridae)	159
CATAUDELLA, STEFANO (see Sola, Luciana)	
CAVENDER, TED M. (see LeGrande, William H.)	
CEI, José M. A Pleistocene record of Bufo spinulosus from Peru	935
COKENDOLPHER, JAMES C. Hybridization experiments with the genus Cyprinodon (Teleostei:	
Cyprinodontidae)	173

COLGAN, PATRICK AND NIGEL COSTELOE. Plasticity of burying behavior by the banded killifish,	40
Fundulus diaphanus 34	49
COLLINS, JAMES P., JEFFRY B. MITTON AND BENJAMIN A. PIERCE. Ambystoma tigrinum: A multi- species conglomerate?95	20
Congdon, Justin D. (see Ballinger, Royce E.)	30
CONSTANTZ, GEORGE D. Energetics of viviparity in the Gila topminnow (Pisces: Poeciliidae) 85	76
COOPER, JOHN E. Egg, larval and juvenile development of longnose dace, Rhinichthys cataractae,	-
and river chub, Nocomis micropogon, with notes on their hybridization46	69
COSTELOE, NIGEL (see Colgan, Patrick)	
CUPP, JR., PAUL V. Territoriality in the green salamander, Aneides aeneus46	63
Das, C. C. (see Tripathy, N. K.)	
Davies, Margaret (see Martin, A. A.)	
DAVIS, STEVEN M. American shad movement, weight loss and length frequencies before and	
after spawning in the St. Johns River, Florida	89
DEAN, JOHN M. (see Talbert, Jr., O. Rhett) DEITZ, DAVID C. AND TOMMY C. HINES. Alligator nesting in north-central Florida	40
DEL PINO, EUGENIA M. Morphology of the pouch and incubatory integument in marsupial	13
	10
DIMICHELE, LEONARD (see Taylor, Malcolm H.)	10
DIMMITT, MARK A. AND RODOLFO RUIBAL. Exploitation of food resources by spadefoot toads	
(Scaphiopus) 8	54
DIXON, JAMES R. (see Gallagher, Jr. Daniel Stephen)	
DUGAN, BEVERLY (see Rand, A. Stanley)	
DUNSON, WILLIAM A. The relation of sodium and water balance to survival in sea water of	
	68
EBELING, ALFRED W. (see Parin, Nikolay V.)	
ELLENDER, RUDOLPH D. (see Gregory, Paula E.)	
ELLINGER, MARK S. (see Burr, Brooks M.)	*0
ELLIS, TAMIR M. Caiman crocodilus: An established exotic in south Florida	52
FELLEY, JAMES. Analysis of morphology and asymmetry in bluegill sunfish (Lepomis macrochirus)	18
in the southeastern United States	10
FERGUSON, GARY W. (see Johes, Steven M.) FERGUSON, GARY W. AND TODD BROCKMAN. Geographic differences of growth rate of Scelo-	
	259
FISCHER, ERIC A. Speciation in the hamlets (Hypoplectrus: Serranidae)—a continuing	-
enigma6	49
FRENCH, DONALD P. Cleaning behavior in sunfish hybrids under laboratory conditions 8	69
FUIMAN, LEE A. AND JOHN R. TROJNAR. Factors affecting egg diameter of white suckers (Ca-	
tostomus commersoni) 6	99
GALL, G. A. E. (see Busack, Craig A.)	
GALLAGHER, JR., DANIEL STEPHEN AND JAMES R. DIXON. A new lizard (Sauria: Teiidae: Ken-	
17 .	616
GANS, C. (see Bradshaw, S. D.)	
GARTSIDE, DONALD F. Analysis of a hybrid zone between chorus frogs of the Pseudacris nigrita	EC
	56
GATTEN, JR., ROBERT E. (see Schuett, Gordon W.) GAUDIN, ANTHONY J. (see Zalusky, Steven B.)	
GENTILI, GIUSEPPE (see Sola, Luciana)	
GERHARDT, H. CARL, SHELDON I. GUTTMAN AND ALVAN A. KARLIN. Natural hybrids between	
Hyla cinerea and Hyla gratiosa: Morphology, vocalization and electrophoretic analysis 5	577
GHIOT, FRANCOISE AND NICOLE BOUCHEZ. The central rod of the barbels of a South American	
	908
GLAZIER, JEFFREY R. AND CHARLES A. TABER. Reproductive biology and age and growth of	
the Ozark minnow, Dionda nubila	547
GOLDBERG, STEPHEN R. Seasonal spawning cycle of the longspine combfish, Zaniolepis latipinnis,	
with notes on spawning of the shortspine combfish, Zaniolepis frenata (Zaniolepididae) 8	882
GORLICK, DENNIS L. Ingestion of host fish surface mucus by the Hawaiian cleaning wrasse,	
Labroides phthirophagus (Labridae), and its effect on host species preference	863
	005
GORMAN, GEORGE C. (see Wyles, Jeff S.)	003
GORMAN, GEORGE C. (see Wyles, Jett S.) GRAVELLE, KAREN AND CAROL A. SIMON. Field observations on the use of the tongue-Jacobson's organ system in two iguanid lizards, Sceloporus jarrovi and Anolis trinitatis	

Greenfield, David W. and Loren P. Woods. Review of the deep-bodied species of Chromis	
(Pisces: Pomacentridae) from the eastern Pacific, with descriptions of three new species	626
Gregory, Paula E., Patricia N. Howard-Peebles, Rudolph D. Ellender and Billy J. Mar-	
TIN. C-banding of chromosomes from three established marine fish cell lines	545
GROBECKER, DAVID B. (see Pietsch, Theodore W.)	
GROSS, MART R. AND WILLIAM A. NOWELL. The reproductive biology of rock bass, Ambloplites	
rupestris (Centrarchidae), in Lake Opinicon, Ontario	482
GUNNING, GERALD E. (see Heins, David C.)	
GUTTMAN, SHELDON I. (see Gerhardt, H. Carl)	
HAIDUK, MIKE W. (see Bickham, John W.)	
HARRIS, REID N. The consequences of within-year timing of breeding in Ambystoma	710
maculatum	719
HEATH, MARTHA E. AND SAMUEL M. McGINNIS. Body temperature and heat transfer in the	nen
green sea turtle, Chelonia mydas Hebrard, James J. (see Mushinsky, Henry R.)	101
HEEMSTRA, PHILIP C. (see Anderson, Jr., William D.)	
HEINS, DAVID C., GERALD E. GUNNING AND JAMES D. WILLIAMS. Reproduction and population	
structure of an undescribed species of <i>Notropis</i> (Pisces: Cyprinidae) from the Mobile Bay	
drainage, Alabama	999
HERREID, C. F. (see Smatresk, Neal J.)	044
HERTZ, PAUL E. Responses to dehydration in Anolis lizards sampled along altitudinal	
transects	440
HILLMAN, STANLEY S. Physiological correlates of differential dehydration tolerance in anuran	110
amphibians	195
HINES, TOMMY C. (see Deitz, David C.)	140
HOCUTT, CHARLES H. (see Melisky, Edward I.)	
HOOGMOED, MARINUS S. (see Perret, Jean-Luc)	
HOWARD-PEEBLES, PATRICIA N. (see Gregory, Paula E.)	
HOWELL, W. MIKE, D. ANN BLACK AND STEPHEN A. BORTONE. Abnormal expression of sec-	
ondary sex characters in a population of mosquitofish, Gambusia affinis holbrooki: Evidence	
for environmentally-induced masculinization	676
JAEGER, ROBERT G. Microhabitats of a terrestrial forest salamander	
JACKSON, JAMES F. AND DAVID L. MARTIN. Caudal luring in the dusky pygmy rattlesnake,	
Sistrurus miliarius barbouri	926
JACOB, JAMES S. AND CHARLES W. PAINTER. Overwinter thermal ecology of Crotalus viridis in	
the north-central plains of New Mexico	799
JOLLIE, MALCOLM. Development of head and pectoral girdle skeleton and scales in Acipenser	
JONES, G. P. Growth and reproduction in the protogynous hermaphrodite Pseudolabrus celi-	
dotus (Pisces: Labridae) in New Zealand	660
JONES, STEVEN M. AND GARY W. FERGUSON. The effect of paint marking on mortality in a	
Texas population of Sceloporus undulatus	850
JOSWIAK, GERARD R., WAYNE C. STARNES AND WILLIAM S. MOORE. Karyotypes of three species	
of the genus Phoxinus (Pisces: Cyprinidae)	913
KARLIN, ALVAN A. (see Gerhardt, H. Carl)	
KARRER, CHRISTINE AND DAVID G. SMITH. A new genus and species of congrid eel from the	
Indo-West Pacific	642
KERSTITCH, ALEX N. (see McCourt, Richard M.)	
KING, DENNIS. The thermal biology of free-living sand goannas (Varanus gouldii) in southern	
Australia	755
KINGSTON, DOLORES IRENE. Eye-color changes during aggressive displays in the goodeid	
fishes	169
KLIMLEY, A. PETER. Observations of courtship and copulation in the nurse shark, Ginglymos-	100
toma cirratum	878
Kloth, Thomas C. Observations on the spawning behavior of captive Florida pompano, Trachinotus carolinus	884
KOMADA, NORITOMO. Incidence of gross malformations and vertebral anomalies of natural	
and hatchery Plecoglossus altivelis	29
KURAMOTO, MITSURU. Mating calls of treefrogs (genus Hyla) in the Far East, with description of a new species from Korea	
KUSHLAN, JAMES A. Population fluctuations of Everglades fishes	
9	-,-

KUSHLAN, JAMES A. AND MARILYN S. KUSHLAN. Everglades alligator nests: Nesting sites for	200
The state of the s	930
Kushlan, Marilyn S. (see Kushlan, James A.)	210
Laale, Hans Willer. The perivitelline space and egg envelopes of bony fishes: A review 5 Lane, E. David. Additions to the description of <i>Hoplunnis pacifica</i> (Pisces: Muraenesocidae) 9	901
LAUDER, JR., GEORGE V. The role of the hyoid apparatus in the feeding mechanism of the	1
coelacanth Latimeria chalumnae	
LAZELL, JR., JAMES D. New England waters: Critical habitat for marine turtles	990
Lee, JULIAN C. Variation and systematics of the <i>Anolis serieus</i> complex (Sauria: Iguanidae)	310
madtom, Noturus flavus (Siluriformes: Ictaluridae), with evidence for the existence of a possible chromosomal race	341
LEHMAN, GRACE C. (see Richards, Christina M.)	
LEIBY, MARK M. AND RALPH W. YERGER. The genus Bascanichthys (Pisces: Ophichthidae) in the Gulf of Mexico	402
Lewis, Digby S. C. Mixed species broods in Lake Malawi cichlids: An alternative to the cuckoo theory	
LILLYWHITE, HARVEY B. Behavioral thermoregulation in Australian elapid snakes	
LILYESTROM, CRAIG G. (see Taphorn, Donald C.) LIN, JUN-YI. Desiccation tolerance and thermal maxima in the lizards Chamaeleo jacksoni and	
C. hohneli	363
LINDQUIST, DAVID G. Aspects of the polychromatism in populations of the Gulf of California browncheek blenny, <i>Acanthemblemaria crockeri</i> (Blennioidea: Chaenopsidae)	137
LYNCH, JOHN D. AND LINDA TRUEB. A new species of Eleutherodactylus (Leptodactylidae) from	
the cloud forests of western Ecaudor	
MAGNUSSON, W. E. Hatching and creche formation by Crocodylus porosus	359
MARTIN, A. A., M. J. TYLER AND MARGARET DAVIES. A new species of Ranidella (Anura: Leptodactylidae) from northwestern Australia	93
MARTIN, BILLY J. (see Gregory, Paula E.)	33
MARTIN, DAVID L. (see Jackson, James F.)	
MATTHEWS, FRANCES D. Cottus girardi (Pisces: Cottidae), a valid species	158
McClanahan, Lon L. (see Shoemaker, Vaughan H.)	
McCourt, Richard M. and Alex N. Kerstitch. Mating behavior and sexual dimorphism in	
dentition in the stingray Urolophus concentricus from the Gulf of California	900
McGinnis, Samuel M. (see Heath, Martha E.)	
McIntyre, John D. (see Winter, Gary W.) Melisky, Edward I., Jay R. Stauffer, Jr. and Charles H. Hocutt. Temperature preference	
of banded killifish, Fundulus diaphanus, from southwestern Pennsylvania	346
MEYLAN, ANNE BARKAU (see Carr, Archie)	0.0
MIDDENDORF, GEORGE A. (see Simon, Carol A.)	
MILLER, ROBERT RUSH (see Smith, Michael Leonard)	
MISITANO, DAVID A. A record of internal fertilization in the roughback sculpin Chitinotus	
pugetensis with descriptive notes of their early larvae	
MITTERMEIER, RUSSELL A. AND MARK J. PLOTKIN. Anolis marmoratus in French Guiana	371
MITTON, JEFFRY B. (see Pierce, Benjamin A.)	
MIYAMOTO, MICHAEL M. AND JAMES H. CANE. Notes on the reproductive behavior of a Costa Rican population of Hyla ebraccata	928
MOORE, BEATRICE AUZA (see Moore, Robert G.)	996
MOORE, CHARLES J. Spawning of Menidia menidia (Pisces: Atherinidae)	000
activity in the red spotted toad, Bufo punctatus	362
MOORE, WILLIAM S. (see Joswiak, Gerard R.)	
MORENO, CARLOS A. Observations on food and reproduction in Trematomus bernacchii (Pisces:	
Nototheniidae) from the Palmer Archipelago, Antarctica	171
Murchelano, Robert A. (see Ziskowski, John J.)	
MUSHINSKY, HENRY R., JAMES J. HEBRARD AND MARY G. WALLEY. The role of temperature on the behavioral and ecological associations of sympatric water snakes	744
NAGY, KENNETH A. (see Bickler, Philip E.)	
Nalbant, Teodor T. (see Bianco, Pier Giorgio)	

Naplin, Anne (see Olney, John E.)	
Nelson, John W. (see Bechtel, H. Bernard)	
NICKERSON, MAX A. Return of captive Ozark hellbenders, Cryptobranchus alleganiensis bishopi,	
to site of capture	536
NILSON, GÖRAN. Male reproductive cycle of the European adder, Vipera berus, and its relation	
to annual activity periods	729
NOWELL, WILLIAM A. (see Gross, Mart R.)	
O'HARA, JAMES. Thermal influences on the swimming speed of loggerhead turtle	
hatchlings	773
OLNEY, JOHN E. AND ANNE NAPLIN. Eggs of the scalloped ribbonfish, Zu cristatus (Pisces:	
Trachipteridae) in the western north Atlantic	165
Painter, Charles W. (see Jacob, James S.)	
PARIN, NIKOLAY V. AND ALFRED W. EBELING. A new western Pacific Poromitra (Pisces:	
Melamphaidae)	87
PARMENTER, ROBERT R. Effects of food availability and water temperature on the feeding	
ecology of pond sliders (Chrysemys s. scripta)	503
PEQUEÑO R., GERMAN AND GUMERSINDO REVUELTA. Notacanthiform fishes of the continental	
slope of Chile	892
Perret, Jean-Luc and Marinus S. Hoogmoed. Identification of treefrogs (Hyperoliidae) from	
Kenya, photographed by Robert Böck and commented upon by Wim Koesen	155
PETTIT, MICHAEL J. AND THOMAS L. BEITINGER. Thermal responses of the South American	
lungfish, Lepidosiren paradoxa	130
PIERCE, BENJAMIN A. (see Collins, James P.)	
PIERCE, BENJAMIN A. AND JEFFRY B. MITTON. Patterns of allozyme variation in Ambystoma	
tigrinum mavortium and A. t. nebulosum	594
PIETSCH, THEODORE W. AND DAVID B. GROBECKER. Parental care as an alternative reproductive	
mode in an antennariid anglerfish	551
PIETSCH, THEODORE W. AND ROBERT J. LAVENBERG. A fossil ceratioid anglerfish from the late	
Miocene of California	906
PLOTKIN, MARK J. (see Mittermeier, Russell A.)	
PRESCH, WILLIAM. Evolutionary history of the South American microteiid lizards (Teiidae:	
Gymnophthalminae)	36
RABALAIS, NANCY N., STEVEN C. RABALAIS AND C. R. ARNOLD. Description of eggs and larvae	
of laboratory reared red snapper (Lutjanus campechanus)	704
RABALAIS, STEVEN C. (see Rabalais, Nancy N.)	
RAINEY, WILLIAM E. (see Bickham, John W.)	
RAKOCINSKI, CHESTER F. Hybridization and introgression between Campostoma oligolepis and	
C. anomalum pullum (Cypriniformes: Cyprinidae)	584
RAMIREZ, SAMUEL A. A modified technique for fish karyotype analysis uring scale	
epitheliumepithelium	543
RAND, A. STANLEY AND BEVERLY DUGAN. Iguana egg mortality within the nest	531
Revuelta, Gumersindo (see Pequeño R., German)	
REYNOLDS, WILLIAM W. (see Casterlin, Martha E.)	
RICHARDS, CHRISTINA M. AND GRACE C. LEHMAN. Photoperiodic stimulation of growth in	
postmetamorphic Rana pipiens	147
RICHARDS, WILLIAM J. AND VISHNU P. SAKSENA. Trigla (Trigloporus) africana Smith, a synonym	
of Chelidonichthys lastoviza (Bonnaterre) (Pisces: Triglidae)	156
ROBERTS, TYSON R. A revision of the Asian mastacembelid fish genus Macrognathus	385
Ross, Stephen T. Sexual and developmental changes in swimbladder size of the leopard	
searobin, Prionotus scitulus (Pisces: Triglidae)	611
RUIBAL, RODOLFO (see Dimmitt, Mark A.)	
RYAN, MICHAEL J. The reproductive behavior of the bullfrog (Rana catesbeiana)	_ 108
SAINT GIRONS, H. (see Bradshaw, S. D.)	
SAKSENA, VISHNU P. (see Richards, William J.)	
SATTLER, PAUL W. Genetic relationships among selected species of North American Scaphi-	
opus	605
SAZIMA, IVAN. Behavior of two Brazilian species of parodontid fishes, Apareiodon piracicabae	
and A. ibitiensis	
SCHOENER, AMY (see Schoener, Thomas W.)	
SCHOENER, THOMAS W. AND AMY SCHOENER. Ecological and demographic correlates of injury	
rates in some Bahamian Anolis lizards	

SCHRECK, CARL B. (see Strange, Richard J.)	
Schreck, Carl B. (see Winter, Gary W.)	
SCHUETT, GORDON W. AND ROBERT E. GATTEN, Jr. Thermal preference in snapping turtles (Chelydra serpentina)	149
SEALE, DIANNE B. AND NANCY BECKVAR. The comparative ability of anuran larvae (genera:	
Hyla, Bufo and Rana) to ingest suspended blue-green algae	495
SHINE, RICHARD. Comparative ecology of three Australian snake species of the genus Cacophis (Serpentes: Elapidae)	
SHOEMAKER, VAUGHAN H. AND LON L. McCLANAHAN. Nitrogen excretion and water balance	
in amphibians of Borneo	446
SIMON, CAROL A. (see Gravelle, Karen)	
SIMON, CAROL A. AND GEORGE A. MIDDENDORF. Spacing in juvenile lizards (Sceloporus jarrovi) SMATRESK, NEAL J. AND C. F. HERREID. Group metabolism in swordtails, Xiphophorus helleri,	
under controlled oxygen conditions	562
SMITH, DAVID G. (see Karrer, Christine) SMITH, G. R. (see Webb. P. W.)	
SMITH, G. R. (See Webb. F. W.) SMITH, MICHAEL LEONARD AND ROBERT RUSH MILLER. Allotoca maculata, a new species of	
goodeid fish from western Mexico, with comments on Allotoca dugesi	408
SMITH-GILL, SANDRA J. AND KEITH A. BERVEN. In vitro fertilization and assessment of male	
reproductive potential using mammalian gonadotropin-releasing hormone to induce sper-	709
miation in Rana sylvatica	
SNELSON, JR., FRANKLIN F. Systematic review of the cyprinid fish, Notropis lirus SNOW, JONATHAN E. Second clutch laying by painted turtles	
Sola, Luciana, Giuseppe Gentili and Stefano Cataudella. Eel chromosomes: Cytotaxo-	334
nomical interrelationships and sex chromosomes	911
STANCYK, STEPHEN E. (see Talbert, Jr., O. Rhett)	
STARNES, WAYNE C. (see Joswiak, Gerard R.)	
STAUFFER, JR., JAY R. (see Melisky, Edward I.)	
STEIN, DAVID L. Aspects of reproduction of liparid fishes from the continental slope and abyssal plain off Oregon, with notes on growth.	687
STIFFLER, DANIEL F. AND RONALD H. ALVARADO. Renal regulation of electrolytes in two species	
of ambystomatid salamanders	918
STRANGE, RICHARD J. AND CARL B. SCHRECK. Seawater and confinement alters survival and	
cortisol concentration in juvenile chinook salmon	351
Swanson, John R. (see Zalusky, Steven B.)	
Taber, Charles A. (see Glazier, Jeffrey R.) Talbert, Jr., O. Rhett, Stephen E. Stancyk, John M. Dean and John M. Will. Nesting	
activity of the loggerhead turtle (Caretta caretta) in South Carolina. I: A rookery in transition	709
TAPHORN, DONALD C. AND CRAIG G. LILYESTROM. Piabucina pleurotaenia Regan, a synonym of	
P. erythrinoides Valenciennes (Pisces: Lebiasinidae); its distribution, diet and habitat in Lake	
Maracaibo basin, Venezuela	335
TAUBERT, BRUCE D. Reproduction of shortnose sturgeon (Acipenser brevirostrum) in Holyoke Pool, Connecticut River, Massachusetts	114
TAYLOR, MALCOLM H. AND LEONARD DIMICHELE. Ovarian changes during the lunar spawning	
cycle of Fundulus heteroclitus	
TELFORD, III, SAM R. Notes on Agkistrodon himalayanus from Pakistan's Kaghan Valley	154
THORGAARD, GARY H. (see Busack, Craig A.)	
TILLEY, STEPHEN G. Life histories and comparative demography of two salamander pop-	000
ulations	
TRACY, C. RICHARD. Water relations of parchment-shelled lizard (Sceloporus undulatus) eggs TRICAS, TIMOTHY C. Courtship and mating-related behaviors in myliobatid rays	
TRIPATHY, N. K. AND C. C. DAS. Chromosomes in three species of Asian catfish	
TROJNAR, JOHN R. (see Fuiman, Lee A.)	310
TRUEB, LINDA (see Lynch, John D.)	
TWELVES, ERIC L. AND WILLIAM E. BACHOP. Giant nuclei in the yolk sac syncytium of the	
Antarctic teleost Notothenia coriiceps neglecta	909
Tyler, M. J. (see Martin, A. A.)	
VAN BEURDEN, E. K. Energy metabolism of dormant Australian water-holding frogs (Cyclorana	
platycephalus)	
Vogt, Richard C. New methods for trapping aquatic turtles	. 368

WAKE, MARVALEE H. The reproductive biology of Nectophrynoides malcolmi (Amphibia: Bufon-	
idae), with comments on the evolution of reproductive modes in the genus	193
WALDSCHMIDT, STEVE. Orientation to the sun by the iguanid lizards <i>Uta stansburiana</i> and	193
	458
Walley, Mary G. (see Mushinsky, Henry R.)	100
	550
Webb, P. W. and G. R. Smith. Function of the caudal fin in early fishes	
WEEMS, ROBERT E. Syllomus aegyptiacus, a Miocene pseudodont sea turtle	021
WILL, JOHN M. (see Talbert, Jr., O. Rhett)	
WILLIAMS, JAMES D. (see Heins, David C.)	
WINTER, GARY W., CARL B. SCHRECK AND JOHN D. McIntyre. Meristic comparison of four stocks of steelhead trout (Salmo gairdneri)	160
WINTERBOTTOM, RICHARD. Two new species of the Congrogadidae (Pisces: Perciformes) from	
	396
WITHERS, PHILIP C. Oxygen consumption of plethodontid salamanders during rest, activity and recovery	781
Woods, Loren P. (see Greenfield, David W.)	.01
WYLES, JEFF S. AND GEORGE C. GORMAN. The albumin immunological and Nei electrophoretic	
distance correlation: A calibration for the saurian genus <i>Anolis</i> (Iguanidae)	66
YERGER, RALPH W. (see Leiby, Mark M.)	00
YOSHIYAMA, RONALD M. Food habits of three species of rocky intertidal sculpins (Cottidae)	
in central California	515
ZALUSKY, STEVEN B., ANTHONY J. GAUDIN AND JOHN R. SWANSON. A comparative study of	313
cranial osteology in the North American sand lizards, genus <i>Uma</i> (Reptilia: Iguanidae)	906
ZISKOWSKI, JOHN J., VALENTINE T. ANDERSON, JR., AND ROBERT A. MURCHELANO. A bent fin	430
ray condition in winter flounder, Pseudopleuronectes americanus, from Sandy Hook and Rar-	
itan bays, New Jersey, and Lower bay, New York	905
ZUCKER, ALBERT. Procedural and antomical considerations of the determination of cutaneous	093
	425
water loss in squamate reptiles	143

INDEX Copeia, 1980, Nos. 1–4

NEW NAMES

Allotoca maculata 408-417
Anthias menezesi 72-87
Anthias woodsi 72-87
Blachea xenobranchialis 642-648
Chromis alta 626-641
Chromis limbaughi 626-641
Chromis meridiana 626-641
Congrogadoides amplimaculatus 396-402

Eleutherodactylus quinquagesimus 392–396 Gila bicolor vaccaceps 320–322 Halimuraena lepopareia 396–402 Hyla suweonensis 100–108 Kentropyx vanzoi 616–620 Poromitra crassa 87–93 Ranidella bilingua 93–99

NEW AND ESTABLISHED NAMES

Ablepharus grayanus 154 Abudefduf saxatilis 213 Acanthemblemaria crockeri 137-141 macrospilus 139-140 Acanthodactylus erythrurus 456 Acantholiparis opercularis 687-699 Acanthophis antarcticus 452-458, 927 Acanthopsis linea 903 Acanthurus achilles 176 achilles × Acanthurus glaucopareius 176 glaucopareius 176 triostegus 864-867 Acentrophryne longidens 906-908 Acerina cernua 213 vulgaris 213 Acheilognathus lanceolatum 217, 220 tabira 217, 220 Acipenser baeri 226 brevirostrum 114-117, 226 dabryanus 226 dauricus 226 fulvescens 114, 226-249 guldenstadti 226 huso 226 kiangsinensis 226 kikuchii 226 medirostris 226 mikadoi 226 multiscutatus 226 nacarii 226 nudiventris 226 oxyrhynchus 116, 226 ruthenus 226-249 schrencki 226 sinensis 226 stellatus 226, 228

sturio 226, 229, 233, 235-236, 240-244 transmontanus 116, 226 Acris crepitans 926 Adinia xenica 870-874 Aetobatis narinari 553-556 Afrixalus fornasini 155 sylvaticus 155 Agkistrodon bilineatus 927 contortrix 736, 851, 927 himalayanus 154-155 piscivorus 736, 851, 927 Agonus cataphractus 212 Alburnops 822 Alburnus alburnus 211 lucidus 211 Alectis indicus 885 Algansea tincella 414, 416 Allips 407 Allodontichthys tamazulae 169-171 Alloophorus robustus 170 Allotoca dugesi 170, 408-417 maculata 408-417 vivipara 408, 415-416 Alopoglossus 36-56 andeanus 50 angulatus 36-56 buckleyi 36-56 copii 36-56 festae 50 Alosa aestivalis 33, 218 sapi i sima 33, 218, 889-892 Amapasaara 36-56 tetradactylus 50 Ambloplites rupestris 482-494 Ambystoma californiense 938

INDEX

gracile 918-921	distichus 66-71, 444, 839-850
maculatum 719–722	equestris 66-71
stebbinsi 938	evermanni 66-71, 444
tigrinum 938–941	extremus 66-71
tigrinum californiense 594, 938–939	ferreus 66-71
tigrinum diaboli 594, 938	frenatus 66-71
tigrinum mavortium 594-605, 938-940	garmani 66-71
tigrinum melanostictum 594, 938	grahami 66-71
tigrinum nebulosum 594-605, 938, 940	griseus 66-71
tigrinum tigrinum 594, 938–939	gundlachi 66-71, 440-446
tigrinum velasci 594, 938	kidderi 310-311, 316-318
utahense 938	krugi 66-71, 444
velasci 938	leachi 66-71
Ameca splendens 170	limifrons 444
Ameiva 36-56	lineatopus 66-71
Amia calva 1, 6-7, 227, 229, 233-235, 240, 243, 345,	luciae 66-71
871	marcanoi 66-71, 444
Ammocrypta 824	marmoratus 66-71, 371-373
Amphibolurus 741-742	marmoratus speciosus 371-373
fordi 742	monensis 66-71
muricatus 923–925	occultus 66-71
ornatus 741	oculatus 66-71
Amphignathodon guentheri 10-17	opalinus 66-71
Amphiuma 785	poncensis 66-71
Anadia 36–56	porcatus 848
angusticeps 50	pulchellus 66-71, 444
bitaeniata 36–56	richardi 66-71
blakei 50	roquet 66-71, 440-446
bogotensis 36–56	sagrei 66-71, 839-850
brevifrontalis 36–56	scriptus 66–71
duquei 50	sericeus 310–320
marmorata 50	stratulus 66–71, 444
metallica 36–56	trinitatis 66-71, 356-359, 444
ocellata 50	ustus 30-31, 316-318
	valencienni 66–71
petersi 50	wattsi 66-71
pulchella 50	Anotosaura 36–56
rhombifera 50	
steyeri 50	brachylepis 51
vittata 50	collaris 51 Antennarius caudimaculatus 551–553
Aneides aeneus 463-468	Anthia 73
Anguilla	Anthias 72–87
anguilla 911–913	anthias 85
australis 911–913	
japonica 913	asperlinguis 72–87
rostrata 351, 911-913	duplicidentatus 72, 82, 84
Anguis 738	louisi 72, 82-85
Anolis 66-71, 356	menezesi 72-87
acutus 66-71, 845	nicholsi 72-77, 80-81, 84-86
aeneus 66-71	tenuis 73-77, 80-81, 85-86
agassizi 66–71	woodsi 72-87
angusticeps 66-71, 839-950	Antimora rostrata 654
auratus 444	Apareiodon
bimaculatus 66-71	ibitiensis 166–169
bonairensis 66-71, 444	piracicabae 166-169
carolinensis 66-71, 147, 443-444, 839-850, 923-	Apeltes quadracus 214
925, 930-932	Apereiodon 166
chrysolepis 318	Aprasia 738
cooki 66-71, 440-446	Aptocyclus ventricosus 697
cristatellus 66-71, 443-444, 921	Archosargus probatocephalus 545-547
cuvieri 66-71	Argillochelys cuneiceps 621
cybotes 66-71, 440-446	Ariosoma 159-160
7, 110 110	

bowersi 160 marginatum 159-160 Artedius lateralis 164, 515-525 Arthrosaura 36-56 amapaense 50 kockii 36-56 reticulata 36-56 versteegii 50 Ascaphus truei 918 Aspidolaemus 48 Aspidontus spp. 863 Astroconger myriaster 913 Astyanax 166 Atherinopsis californiensis 215 Austrelaps superbus 452-458 Austrofundulus myersi 219 Aylopon 73 martinicensis 82-83, 85 Ayresia punctipinnis 639

Bachia 36-56 barbouri 36-56 bicolor 36-56 blairi 50 bresslaui 50 cophias 36-56 dorbignyi 36-56 flavescens 36-56 guianensis 50 heteropa 36-56 hullagana 50 intermedia 36-56 panoplia 36-56 pallidiceps 36-56 peruana 36-56 scolecoides 36-56 talpa 36-56 trisanale 36-56 vermiformis 50 Bairdiella chrysoura 545-547 Bascanichthys bascanium 402-408 scuticaris 402-408 teres 402-408 Batrachoseps 785 Bathygobius soporator 213-214, 216, 221 Bathymyrus 159

Bicanestrinia 903, 906

Blachea xenobranchialis 642-648

Blennius

gattorugine 215 ocellaris 215 pholis 215 Blennodesmus scap

Bathysaurus mollis 654

Belone longirostris 215

Blennodesmus scapularis 397 Blicca bjoerkna 216 Bodianus diplotaenia 139 Bombina bombina 727 Bothrops bilineatus 927 Brachydanio rerio 219, 911 Bufo americanus 495-503, 539 cf. arenarum 936 asper 446-451 boreas 125-129, 148, 537-540, 855-857 boreas boreas 363 bufo 200, 727 calamita 449 cognatus 125-129, 854-858, 860 fowleri 147, 794, 796, 860 granulosus 935 guttatus 935 marinus 128, 935 cf. marinus horribilis 936 cf. paracnemis 936 punctatus 362-363, 854-857, 861 quadriporcatus 446-451 spinulosus 935-936 typhonius 935 viridis 200 woodhousei fowleri 363, 495-503

Cacophis
harriettae 831–838
krefftii 831–838
squamulosus 831–838
Caecomastacembelus 385
Caecula 404
bascanium 402–403, 405–406
scuticaris 402, 404, 406
teres 402, 404, 406
Caiman
crocodilus 152–154, 255–257, 359, sclerops 425–439
Callechelys scuticaris 404
Callismurus 297

Caiman
crocodilus 152–154, 255–257, 359, 742
sclerops 425–439
Callechelys scuticaris 404
Callisaurus 297
Callopistes 36–56
Campostoma
anomalum pullum 584–594
anomalum pullum × Campostoma oligolepis 584–594
Oligolepis 584–594
Caranax
ignobilis 885

sexfasciatus 885
Carassius auratus 123, 213, 218, 345, 349, 352
Carcharhinus
amblyrhynchus 556
melanopterus 555, 878, 880
milberti 878
plumbeus 878
sp. 878, 880
Careproctus
filamentosus 687–699
kermadecensis 697

lamentosis 687–699 kermadecensis 697 longifilis 687–699 microstomus 687–699 oregonensis 687–699 ovigerum 687–699 reinhardti 698

Caretta caretta 290-295, 374, 709-718, 773-780

Cataetyx laticeps 654	pembae 640
Catonotus 556	punctipinnis 626-641
Catostomus 281	randalli 635
commersoni 213, 216-218, 221, 345, 699-704	scotti 640
plebeius 287	weberi 640
Cebidichthys violaceus 522	Chrosomus 913
Centrolabrus exoletus 212	Chrysemys
Centropomus undecimalis 153	floridana peninsularis 153
Centropyge	nelsoni 621, 624, 930-932
interruptus 353, 355	picta 150, 368, 478, 480, 511, 525, 534-546
multispinis 353-355	picta: belli × marginata 534-536
resplendens 355	rubriventris 511
Cerastes vipera 927	scripta 150
Ceratodus 211	scripta scripta 503-514
Cerberus rhynchops 269, 275, 278	Cichlasoma
Cercosaura 36-56	citrinellum 656, 685
ocellata 36-56	nigrofasciatum 682-686
Cetorhinus maximus 878	Cirrhitichthys oxycephalus 139
Chaetodon	Clemmys guttata 150
(various hybrids) 176	Clinocottus
auriga 864-867	analis 515-525
aya 640	globiceps 522
falcifer 633	recalvus 162, 214, 216, 522
guyanensis 640	Clinostomus funduloides 477
marcellae 640	Clupea 213
Chamaeleo	harengus 217
hohneli 363-366	harengus pallasi 213, 217
jacksoni 363-366	mirabilis 213
Chapalichthys encaustus 169-171	pallasi 217
Chaparrudo flavescens 215	sapidissima 218
Chasmistes cujus 702	Cnemidophorus 36-56, 461, 616, 845
Chaudhuria caudata 385	tigris 845
Chelidonichthys	Cobitis
africanus 157	battalgili 905–906
kumu 614	linea 903-906
lastoviza 156-157	phrygica 905-906
Chelonia	simplicispina 905–906
mydas 290-295, 366-368, 374, 525-530, 540-543,	trichonica 906
709. 767–773	(Bicanestrinia) trichonica 906
mydas japonica 541	Coleonyx variegatus 356, 861
Chelydra serpentina 113, 149-152, 511	Colobodactylus 36-56
Chinemys reevesi 541-542	taunayi 36-56
Chirostoma	Colobosaura 36-56
jordani 414, 416	kraepelini 51
notata 215	landii 50
spp. 414	mentalis 36–56
Chitinotus pugetensis 162–165, 884	modesta 51
Chromis	Coluber constrictor 804, 851
alta 626-641	Conger 647–648
analis 640	Congrellus bowersi 160
atrilobata 626–641	Congrogadoides
(Furcaria) atrilobata 638	amplimaculatus 396–402
crusma 626-641	hierichthys 397
cyanea 640, 649, 654-656	malayanus 396–397, 399
enchrysura 640	spinifer 396–397, 399
flavicauda 640	Congrogadus
insolata 640	hierichthys 397
intercrusma 626–641	marginatus 159–160
limbaughi 626-641	subducens 399-400
meridiana 626-641	Constrictor constrictor 425–439 Coregonus clupeaformis 216, 218
multilineata 638-640	

nevadennsis nevadensis 173-176 Coryphaenoides nevadensis × Cyprinodon atrorus 173-176 armatus 654 guentheri 654 pecosensis 173-176 pecosensis × Cyprinodon macularius 173-176 leptolepis 654 Cottus 213 rubrofluviatilis 173-176 bairdi 158-159 rubrofluviatilis × Cyprinodon atrorus 173-176 girardi 158-159 rubrofluviatilis × Cyprinodon eximius 173-176 gobio 214 rubrofluviatilis × Cyprinodon nevadensis 173-176 rubrofluviatilis × Cyprinodon pecosensis 173-176 Crenilabrus rubrofluviatilis × Cyprinodon sp. 173-176 cinereus 919 mediterraneus 212 salinus 173-176 melops 212, 670 salinus × Cyprinodon atrorus 173-176 tinca 217 sp. 173-176 variegatus 216, 870-874 Crinia remota 94 variegatus variegatus 173-176 variegatus × Cyprinodon eximius 173-176 signifera 94 signifera signifera 94 variegatus × Cyprinodon pecosensis 173-176 Crocodilurus 36-56 Cyprinus blicca 216 Crocodylus acutus 256, 279, 425-439 carpio 885 moreleti 359 niloticus 255, 359-361 Dascyllus albicella 864-867 palustris 255, 359 Dasyatis americana 900 porosus 253, 255, 257, 359-362 Delma 738 Crotalus Dermatemys mawii 621, 624 Dermochelys coriacea 290-295, 374, 767 atrox 933 lepidus 927 Desmognathus 466 monticola 463, 806-808 viridis 734, 736, 799-805 Crotaphytus collaris 145, 923-925 ochrophaeus 806-821 Cryptobatrachus fuhrmanni 10-17 quadramaculatus 807-808 Cryptoblepharus boutonii 738 Diasemosaurus 49 Dicamptodon ensatus 918-921 Cryptobranchus alleganiensis bishopi 536-537 Dicrodon 301 Ctenogobius stigmaticus 215 Ctenolabrus rupestris 212 episcopa 550 Ctenosaura similis 307 Curimatus 167 nubila 547--550 Cybium maculatum 216-218, 220 Diplomystes 909 Dipsosaurus dorsalis 425-439, 511, 742, 762 Cyclogaster lineatus 211 Cyclopterus 213 Dorosoma cepedianum 134 lumpus 213 Cyclorana platycephalus 787-799 petenense 211-212 Cymatogaster aggregata 123, 221 Cynolebias Echinosaura horrida 36-56 belotti 212 Ecpleopus 36-56 ladigesi 211, 214 gaudichaudii 51 melanotaenia 211, 214, 217 Ecsenius frontalis 140 Cynoscion arenarius 543-545 Elacatinus Cyprinodon new species 139 atrorus 173-176 oceanops 214 bovinus 173-176 Elaphe bovinus × Cyprinodon rubrofluviatilis 173-176 guttata guttata 933 bovinus × Cyprinodon sp. 173-176 obsoleta 800, 804 eximius 173-176 obsoleta obsoleta 932-933 macularius californicus 173-176 obsoleta quadrivittata 425-439 macularius macularius 173-176 Elassoma evergladei 871 macularius × Cyprinodon atrorus 173-176 Eleutherodactylus 201, 207 macularius × Cyprinodon eximius 173-176 appeniculatus 395 macularius × Cyprinodon rubrofluviatilis 173-176 calcaratus 392-393, 396 macularius × Cyprinodon sp. 173-176 calcarulatus 395 macularius × Cyprinodon variegatus 173-176 celator 395 chloronotus 392-393, 396 nevadensis amargosae 173-176

	0.1
crucifer 392-393, 396	Gambusia
inusitatus 392–393, 396	affinis 153, 351, 505, 676–681, 870–874
jasperi 200, 206–207	affinis affinis 679
quinquagesimus 392–396	affinis holbrooki 676–681
surdus 395	sp. 118
unistrigatus 393, 396	Gasterosteus
vertebralis 395	aculeatus 123-124, 211, 213-214, 218
w-nigrum 395	leiurus 214
Enneacanthus gloriosus 344–345	pungitius 214
Enophrys bison 164, 522	Gastrotheca 10, 17
Eochelone brabantica 621, 623, 625	argenteovirens 10–17
Epinephelus	cavia 10–17
morio 355	ceratophrys 10–17
striatus 655	christiani 10–17
Eretmochelys imbricata 290–295, 374, 767	cornuta 10–17
Ericymba buccata 824	ernestoi 10-17
Erimyzon sucetta 870–874	excubitor 10–17
Esox 221, 240	galeata 10–17
lucius 216	gracilis 10–17
masquinongy 211, 344-345, 911	griswoldi 10-17
niger 221	lojana 10–17
reticulatus 221	marsupiata 10–17
Etheostoma	monticola 10-17
fonticola 556	ochoai 10-17
gracile 557	orophylax 10-17
microperca 556	ovifera 10-17
olivaceum 556	peruana 10–17
proeliare 556-559	plumbea 10–17
(Microperca) proeliare 556-559	psychrophila 10-17
striatulum 556	riobambae 10-17
Etroplus maculatus 863	sp. 10–17
Eupomacentrus rectifraenum 633	testudinea 10-17
Eurycea bislineata 463	weinlandii 10-17
Euspondylus 36-56	Gekko gecko 425-439
acutirostris 50	Geniacanthus
brevifrontalis 50	caudovittatus 353
guentheri 50	semifasciatus 353, 355
maculatus 50	Geochelone elegans 624
ocellifer 50	Gila
rahmi 36-56	bicolor 320-322
simonsii 36-56	bicolor bicolor 320-322
spiralis 36–56	bicolor vaccaceps 320-322
sp. 36–56	Gillichthys mirabilis 123, 211, 218
Eutrigla gurnardus 211	
Exocoetus 220	Ginglymostoma cirratum 878–882
Latitude 220	Girella nigricans 522
Flectonotus	Glyptocephalus cynoglossus 221
	Gober niger jozo 218
fissilis 10–17	Gobionellus boleosoma 215
pygmaeus 10–17	Gobiosoma
Fritziana goeldii 10–17	bosci 215-216, 218
Fundulus 273	ginsburgi 215–216
chrysotus 870–874	oceanops 213, 218–219
confluentus 870–874	
diaphanus 346-351	Gobius
heteroclitus 118-125, 211-213, 218-219	flavescens 215
notti 351	microps 215
seminolis 870–874	minutus 215
Furcaria 640	niger 211
	niger jozo 211, 215, 218
Gadus morrhua 212, 215-218	pictus 215
Galaxias maculatus 118	ruthensparri 215

Histionotophorus bassani 907

Histrio histrio 213 Goodea Holanthias martinicensis 72-87 cf. atripinnis 414, 416 gracilis 169-171 Holbrookia 297 Holocanthus luitpoldi 169-171 sp. 169-171 ciliaris 176 Goodeidae (undescribed genus and species) 169-171 ciliaris × Holocanthus isabelita 176 isabelita 176 Graptemys 368-371 Gymnophthalmus 36-56 tricolor 863 Hololetis 556 lineatus 50 multiscutatus 51 Hoplerythrinus unitaeniatus 338 plei 36-56 Hoplunnis macrura 902 rubricauda 50 speciosus 36-56 pacifica 901-903 underwoodi 36-56 Hydrolagus 246 Gyrinophilus porphyriticus 807-808, 812-813 Hyla 100-108 andersonii 929 arborea 105-106, 929 Haemulon sciurus 545-547 arborea immaculata 105 Halichoeres arborea japonica 105 maculipinna 672 pictus 672 arborea ussuriensis 105 Halimuraena arenicolor 929 hexagonata 396, 399, 401 avivoca 577 avivoca × Hyla chrysoscelis 577 lepopareia 396-402 shakai 396, 401 cadaverina 106 californiae 106 Haliophis guttatus 399 chinensis 100-108 malayanus 397 chrysoscelis 577, 929 chrysoscelis × Hyla femoralis 577 Halosaurus attenuatus 895 cinerea 207, 577-584, 926-927, 929 pectoralis 895 cinerea × Hyla gratiosa 577-584 radiatus 892-895 crucifer 495-503, 929 Haplochromis ebraccata 928-930 burtoni 170 eximia 100-108 chrysonotus 874-875 femoralis 577 kiwinge 874-875 gratiosa 577-584, 929 macrostoma 874-875 hallowelli 100-108 polystigma 874-875 japonica 100-108 quadrimaculatus 874-875 meridionalis 100-108, 929 taeniolatus 874-875 regilla 106, 726-727, 929 Heliases 640 rosenbergi 929 crusma 636 savignyi 100-108 Heloderma suspectum 356 sodei-campi 105 Hemichromis bimaculatus 216-217 squirella 106, 926 Hemidactylium scutatum 463 stepheni 104-105 suweonensis 100-108 Hemilepidotus hemilepidotus 164 Hemiphractus versicolor 100, 500, 929 bubalus 10-17 wrightorum 106 fasciatus 10-17 Hylidae 70 johnsoni 10-17 Hymenochirus 449 proboscidens 10-17 Hypentelium scutatus 10-17 etowanum 280-290 Hemitripterus americanus 134 nigricans 280-290 Heterandria formosa 870-874 roanokense 280-290 Heterodactylus 36-56 Hyperolius imbricatus 36-56 argus 155 lundii 51 parkeri 155 Heterodontus francisci 555, 878, 880-881 Hypleurochilus geminatus 215 Hiodon alosoides 214 Hypoglossoides platessoides 212 Hippocampus erectus 210, 212 Hypomesus olidus 213 Hypoplectrus Histiobranchus bathybius 654

aberrans 649-659

chlorurus 649-659 gemma 649-659 gummigutta 649-659 guttavarius 649-659 indigo 649-659 lamprurus 649 nigricans 649-659 puella 649-659 unicolor 649-659 Hypsoblennius hentz 215 Icelinus quadriceriatus 884 Ictalurus albidus 213, 220-221 catus 213, 220-221 natalis 344-345, 870-874 nebulosus 153, 213, 215-216, 908-909 punctatus 212 spp. 349 Iguana 431 iguana 531-534 Iguanidae 70

Iljinia 215

furcidens 169-171 sp. 169-171

xantusi 169-171

elegans 36-56

elegans elegans 52

elegans soinii 52

Iphisa 36-56

Ilyodon

Jordanella floridae 173-176, 870-874

Kentropyx 43 altamazonica 616-617, 619 borckiana 616-617, 619 calcarata 616-617, 619 copei 616 decodon 616 (Monoplocus) dorsalis 616 (Teius) intermedius 616 lagartija 616, 620 (Gastropholis) mertensi 616 paulensis 616-617, 619-620 pelviceps 616-617, 619 renggerii 616 striata 616-617, 619 striatus viridicervix 616 vanzoi 616-620 viridistriga 616-617, 619-620 (Lacerta) vittata 616 williamsoni 616 Kinosternon baurii 930-932 Kirtlandia vagrans 216

Labidesthes sicculus 870–874 Labroides dimidiatus 673 phthirophagus 863–868 spp. 863–864, 866–867 Labrus anthias 73 Lacerta lepida 425-439 sicula campestris 734-735 Lampropholis 831-832, 835 Laticauda 268 Latimeria chalumnae 129 Lavinia exilicauda 28 Lebiasina 335, 339 Lebistes 680 Leiolopisma 831-832, 835 laterale 851 Lepidochelys 621 kempi 290-295 Lepidosiren paradoxa 130-136 Lepisosteus 5-7, 227, 229, 233, 235, 237, 240 osseus 217 platyrhincus 871 Lepomis cyanellus 345, 869-870 cyanellus × Lepomis macrochirus 869-870 gibbosus 485, 490, 492-493 macrochirus 18-29, 153, 344-345, 492, 869-870 macrochirus (Florida subspecies) 18-29 macrochirus macrochirus 18-29 macrochirus: macrochirus × purpurescens 18-29 macrochirus purpurescens 18-29 macrochirus speciosus 27 marginatus 870-874 punctatus 870-874 Leporinus 166-167 Leposoma 36-56 annectans 50 guianense 50 ioanna 50 parietale 36-56 percarinatum 50 rugiceps 36-56 scincoides 50 southi 36-56 Leptocottus armatus 164 Leuciscus cephalus 216 phoxinus 216 rutilus 217, 220 Leuresthes tenuis 118, 346 Lialis 836 burtonis 738-743 Limanda limanda 212 Liolaemus chacoensis 936-937 darwini 937 emmae 936-937 Liparis atlanticus 687, 697 fucensis 697 inquilinus 687, 697

liparis 211, 697

montagui 697 pulchellus 697

tanakae 697

Lipophrys 215
Lophius
brachysoma 907
budegassa 906–907
Lophotus
capellei 165–166
spp. 165
Lucania
goodei 870–874
parva 216
Lutjanus campechanus 704–708

Lythrurus 323–324, 333

Macrognathus
aculeatus 385–391
aral 385–391

dhanashorii 385, 389 ocellatus 389 siamensis 385–391 Macropholidus annectans 36–56 Macropodus cupanus 211, 216–217 Malaclemys 279

Macropodus cupanus 211, 210
Malaclemys 279
Mastacembelus 385–386, 390
armatus 390
brichardi 385
circumcinctus 385, 390
erythrotaenia 385, 390
frenatus 390
greshoffi 390
keithi 390
mastacembelus 385, 390

macutatus 390
mastacembelus 385, 390
pancalus 385, 390
paucispinis 390
sclateri 390
shiranus 390
spp. 385

Masticophis 455 flagellum 851 taeniatus 803 Megalops atlantica 153

Melamphaes 87 atlanticus 89 cristiceps 89 frontosus 89

nigrofulvus 89 rugosus 89 unicornis 89

Membras martinica 216 Menidia

audens 887 beryllina 611 menidia 215, 886–887 Merluccius merluccius 220 Micrablepharus 36–56 maximiliani 36–56

Micrometrus minimus 522 Microperca 556, 559 Micropterus

dolomieui 344-345 salmoides 134, 344-346, 492, 870-874 Microstomus pacificus 898 Minnilus 323 Monacanthus broccus 214 hispidus 214 Morone americana 34, 211, 213, 348 saxatilis 213, 218 Moxostoma 281 (Scartomyzon) cervinum 285 lachneri 287 mascotae 414, 416 pappillosum 286-287 Movthomasia 233 Muraenichthys chilensis 636 Mustelus canis 878-881 Myliobatis californica 555 Mystus

cavasius 916–918 qulio 917 seenghala 917 tengara 917 vittatus 916–918

Naja naja 734
Natrix 269
sipedon 113, 804
Nectophrynoides
cryptus 193-209
malcolmi 193-209
minutus 193-209
oscidentalis 193-209
osgoodi 193-209
tornieri 193-209
viviparus 193-209
Negaprion brevirostris 878-879
Nematoptychius 233
Neoceratodus forsteri 211
Nerodia

cyclopion 744-754 erythrogaster 744-754 fasciata 268-280, 744-754 fasciata clarki 268-280 fasciata compressicauda 268-280 fasciata confluens 269-270, 277 fasciata pictiventris 268-280 fasciata taeniata 269, 277-278 rhombifera 744-754 sipedon 268-280 sedon sipedon 270 sepedon williamengelsi 269 valida 268-270 Nerophis ophidion 216 Neusticurus 36-56 apodemus 36-56

Neusticurus 36–56 apodemus 36–56 bicarinatus 50 cochranae 51 ecpleopus 36–56 racenisi 50 rudis 36–56

strangulatus 51	Parabathymyrus 160
tatei 36-56	Paraconger 160
Nocomis	Paraliparis
biguttatus 550	calidus 687, 697
micropogon 469-478	cephalus 687-699
micropogon × Rhinichthys cataractae 469-478	copei 687
Notacanthus sexpinnis 892-895	garmani 687, 697-698
Notechis scutatus 452–458	gracilis 697
Notemigonus crysoleucas 870–874	latifrons 687-699
Notophthalmus viridescens 148, 603	megalopus 687-699
Notothenia	mento 687-699
coriiceps neglecta 909–911	rosaceus 687-699
gibberifrons 172	Parapercis dockinsi 636
Nototropis 323	Parodon 169
Notropis	bifasciatus 166
alabamae 323	guyanensis 166
ardens 323, 327, 333	tortuosus 166–167
bellus alegnotus 333	Parophrys vetulus 214
bellus bellus 323, 332	Pelamis platurus 269
bifrenatus 211, 213, 216	Pelophryne 201, 206
fumeus 332–333	brevipes 206
lirus 323–334	Perca 211
longirostris 822, 824, 827, 829	flavescens 213
maculatus 870-874	fluviatilis 211, 213
new species (cf. longirostris) 822-830	Phaenomonas 407
petersoni 870-874	Pholidobolus 36-56
pilsbryi 550	affinis 36–56
sabinae 822, 827	annectans 36-56
stilbius 323	macbrydei 51
umbratilis 332	montium 36–56
venustus 822	prefrontalis 51
zonatus 550	Pholioides thomaseni 400
Noturus flavus 341–344	Photogenis 323
	Phoxinus
Ocyanthias martinicensis 72	cumberlandensis 913–916
Odontanthias 85	eos 913
aspergilingua 80, 82	eos × Phoxinus neogaeus 913
duplicidentatus 84	erythrogaster 914
Oligocottus	neogaeus 913-916
maculosus 164, 524	oreas 913-916
snyderi 162, 164, 515-525	phoxinus 216, 913, 915
Oncorhynchus	Phrynosoma 36-56
kisutch 680	m'calli 762
nerka 160	Piabucina
tshawytscha 35, 160, 211, 351-353	erythrinoides 335-340
Opheodrys	panamensis 339
aestivus 851	pleurotaenia 335–340
vernalis 804	Pillaia spp. 385-386
Ophidium aculeatum 387	Pimelodus clarias 908-909
Ophisaurus 738	Pimelometopon 660
Opipeuter xestus 36–56	Pimephales promelas 212
Opsanus tau 213, 219, 611	Pipa pipa 449
Oryzias latipes 212, 215–216, 219	Pituophis
Osmerus eperlanus 213	melanoleucus 800, 804
Osteodiscus cascadiae 687–699	melanoleucus annectens 932–935
Oxyjulis californica 218, 660	melanoleucus catenifer 933
Pantadactulus 36 56	Placosoma 36-56
Pantodactylus 36–56 concolor 50	cipoense 51
	cordylinum 36–56
quadrilineatus 51 schreibersi 36–56	glabellum 51
schreweist 30-30	Platichthys flesus 212

Plecoglossus altivelis 29-35	hypostictus 51
Plethodon 64, 466, 940	laevis 51
caddoensis 463	luctuosus 51
cinereus 265-268, 463, 467	meleagris 51
glutinosus 463, 781-787	oculatus 51
jordani 463, 467, 781-787	pachyurus 51
ouachitae 463	petersi 42
welleri 463	shrevei 51
yonahlossee 781–787	simoterus 51
Plethodontidae 70	sp. 36–56
Pleuronectes	striatus 36–56
cynoglossus 221	unicolor 51
flesus 212, 701	ventrimaculatus 51
limanda 212	Prognathodes aculeatus 640
platessa 123, 212	Protopterus annectens 211
Pleuronichthys	Psephurus gladius 226
coenosus 214	Pseudacris
decurrens 214	nigrita 56-66, 929
verticalis 214	nigrita nigrita 56–66
Plotosus	nigrita nigrita × Pseudacris triseriata feiarum 56–66
anguillaris 917	triseriata 538
canius 916-918	triseriata feiarum 56–66
Poecilia	Pseudechis porphyriacus 452-458
latipinna 153, 870–874	Pseudemys
reticulata 118, 124, 680	concinna 369
(Lebistes) reticulata 680	scripta 150, 742
Poeciliopsis	Pseudodontornis 624
infans 414, 416	Pseudolabrus
occidentalis 876–878	celidotus 176–180, 660–675
occidentalis occidentalis 876–878	celidotus × Pseudolabrus furcicola 176-180
Polyodon spathula 226, 231, 237-239, 241, 245-247	furcicola 176-180
Polypterus 1, 5-7, 227, 229	Pseudonaja
senegalus 7	nuchalis 452-458
Pomacentrus	textilis 452-458
jenkinsi 170	Pseudophryne 940
leucostictus 212	Pseudopleuronectes americanus 895-899
Pomatoschistus	Pseudotriton ruber 463
minutus 215	Pterophyllum scalare 697
pictus 215	Ptychoglossus 36–56
Pomolobus aestivalis 218	bicolor 51
Pomoxis nigromaculatus 492	brevifrontalis 51
Poromitra	festae 36-56
atlantica 93	kugleri 51
capito 88, 91–92	picticeps 51
crassa 87–93	plicatus 50
crassiceps 87-93	stenolepis 51
megalops 88, 91-92	Pungitius pungitius 214, 217
oscitans 87-88, 91-92	Puppigerus camperi 623, 625
Prionace glauca 880	Pygosteus pungitius 214, 217
Prionodactylus 36-56	D : ***
argulus 36–56	Raja 555
eigenmanni 51	clavata 900
manicatus 51	eglanteria 556, 900
vertebralis 51	Ramphotyphlops 836
Prionotus scitulus 611–615	Rana
Prochilodus 167	blythi 446-451
Proctoporus 36–56	boylei 69
achlyens 51	catesbeiana 108-114, 148, 495-503, 723, 727-728
bolivianus 36–56	chalcanota 446-451
columbianus 36–56	clamitans 727, 819
guentheri 36-56	glandulosa 446–451

kuhli 446-451	salar 218, 351
limnocharis 446-451	sp. (redband trout) 421-423
muscosa 125-129	trutta 211-212, 216, 220-221, 345
nicobariensis 446-451	Salvelinus
nigromaculata 728	fontinalis 5-7, 123, 211, 213
palustris 109	namaycush 35
pipiens 100, 125, 147-149, 500, 723, 796, 939-940	Sarcocheilichthys variegatus 217, 220
"pipiens" 539	Sauromalus obesus 511, 742
signata 446-451	Scalanago 648
sylvatica 495-503, 723-728	Scaphiopus 539
utricularia 153	bombifrons 605-610
Ranidae 70	couchi(i) 125-129, 605-610, 787, 794-796, 854-
Ranidella	862
bilingua 93-99	hammondi 605-610, 794, 854-862
deserticola 97-98	holbrooki 112, 605-610
glauerti 98	intermontanus 854-862
parinsignifera 98	multiplicatus 605-610, 794, 854-862
remota 94, 97	spp. 795
signifera 98	Scaphirhynchus 231, 236-237, 239, 241-242, 244, 246
Regalecus glesne 165-166	albus 226
Regina	fedtschenkoi 226
grahamii 744-754	hermanni 226
septemvittata 268-272, 275-276	kaufmanni 226
Rhabdolepis 233	platorynchus 226, 236, 244
Rhacophorus	rossikowi 226
leucomystax 446-451	Scarus
otilophus 446-451	croicensis 672, 888
pardalis 446-451	fasciatus 672
Rhadinichthys 233	forsteri 887–888
Rhinichthys 915	gibbus 887
atratulus 591	globiceps 672
cataractae 469-478, 591	iserti 888
Rhinoclemmys 542	niger 887
Rhodeus ocellatus 217, 220	psittacus 887–889
Rhynchobdella 287	scaber 888
aculeata 389-390	sordidus 888
aculeata var. siamensis 389	sp. 865, 868
aral 389	taeniurus 888
dhanashorii 389	viridifucatus 888
Riolama 36-56	Sceloporus 69-70, 844
leucostictus 51	cyanogenys 923-925
Rivulus marmoratus 650	graciosus graciosus 259-264
Roccus	jarrovi 141-146, 356-359
americanus 213	magister 923-925
saxatilis 213, 218	merriami 921
Runula azalea 863	occidentalis 923-925
Rutilus 915	olivaceus 145, 851
rutilus 217, 220	scalaris 921-923
	torquatus 356
Saccodon 167	undulatus 145, 458-462, 478-482, 531, 845, 850-
Salamandra	854
atra 207	undulatus consobrinus 259-264
salamandra 207	undulatus garmani 259-264
Salaria 215	undulatus undulatus 259-264
Salminus 166	virgatus 921
Salmo	Schizodon 167
aguabonita 421	Scomber scombrus 220
clarki henshawi 418, 421–423	Scomberesox 220
fario 211, 216	Scomberomorus maculatus 216-218, 220
gairdneri 160–162, 218, 418, 422	Scopelus crassiceps 89
gairdneri aquilarum 418–424	Scorpaena Scorpaena
garaneri aquitarum 110-121	oco parata

fernandeziana 636

thomsoni 636

Scorpaenichthys marmoratus 164

Scorpaenodes xyris 139

Scyliorhinus canicula 878, 880-881

Sebastes 518

Semicossyphus

pulchrum 670, 673

(Pimelometonon) pulchrum 660

Semotilus

atromaculatus 915

corporalis 476, 915

margarita 915

Seriola dorsalis 885

Serranochromis robustus 874-875

Serranus

anthias 85

scriba 651

tonsor 72, 85

Siebenrockiella 542

Siphateles obesus 320

Siren intermedia 785

Sistrurus miliarius barbouri 926-927

Skiffia

bilineata 169-171

francesae 169-171

lermae 169-171

Solea solea 220

Sparisoma rubripinne 670

Spea 605, 607-608

Sphagebranchus

scuticaris 403-404

teres 403, 406

Sphenodon punctata 622, 624, 742

Sphyrna

lewini 881

tiburo 556, 881

Sprattus sprattus 220

Squalus acanthias 881

Staurotypus 542

Stefania scalae 10-17

Stegotrachelus 233

Stenolepis 36-56

ridleyi 36-56

Sternotherus odoratus 150

Stizostedion vitreum 213, 216, 218, 221

Storeria

dekayi 804

occipitomaculata 804

Strongylura marina 215

Syllomus 621-625

aegyptiacus 621-625

Symphysodon discus 863

Syngnathus

fuscus 210, 212

ophidon 216

Taricha 940

rivularis 603

Tautoga onitis 218

Teius 301

Testudo horsefieldi 481

Teuchocercus 36-56

keyi 51

Trachinotus carolinus 884-886

Trachyrhynchus villegai 895

Thalassoma

bifasciatum 670, 672

duperrey 863-867

Thamnophis 539, 745

elegans 734, 804

radix radix 734

raux raux

sauritus 804

sirtalis 538, 803-804

sirtalis parietalis 734 sirtalis sirtalis 734

spp. 537-540

Thoburnia 284-287

Thymallus

ontariensis 218

signifer tricolor 218

Tilapia

mariae 153 mossambica 346

Trachinus vipera 216-218

Trachipterus

arcticus 165

cristatus 165

spp. 165

Trematomus bernacchii 171-173

Tretioscincus 36-56

agilis 36-56 bifasciatus 36-56

Triacanthus brevirostris 211

Triaenodon obesus 555, 878, 880-881

Trichiurus savala 211

Trichogaster trichopterus 218

Trigla

africana 156-157

(Trigloporus) africana 156-157

gurnardus 211

lastoviza 156

lineata 156 lyra 156

Trigloporus 156-157

Trionyx spiniferus 480

Tripterygiidae (new genus and species) 139

Triturus viridescens 147

Tupinambis nigropunctatus 425-439

Uma

exsul 296-310

inornata 296-310

notata 296-310

notata inornata 296 notata notata 296

notata rufopunctata 296

paraphygas 296-310

rufopunctata 296

scoparia 296-310

Unechis

flagellum 452-458

gouldii 835

Uroconger 648

Urolophus

concentricus 900-901

halleri 901

Urosaurus ornatus 921

Uta

stansburiana 356, 431, 458-462, 734, 845, 921

stansburiana stejnegeri 734

Varanus

bengalensis 763

caudolineatus 764

eremius 764

gouldii 755-767 griseus 762-764

komodoensis 763

niloticus 762-763

salvator 763 varius 762-764

Vipera

aspis 734

berus 729-737, 804

berus berus 729-737

berus bosniensis 729

berus sachilinensis 729

berus seoanei 729, 734-735

russelli 927

Xantusia vigilis 839

Xenomedea rhodopyga 139

Xenopus 449-450, 539

laevis 125-129

Xenotoca

eiseni 169-171, 414, 416

melanosoma 169-171, 414, 416

Xiphophorus

helleri 562-564, 680

maculatus 26

Zaniolepis

frenata 882-884

latipinnis 882-884

Zebrasoma flavescens 864-868

Zu cristatus 165-166

ABNORMALITIES (see ANOMALIES).

ACTIVITY, Enneacanthus gloriosus (diel activity) 344–345; Bufo punctatus (body temperature and activity) 362–363; Vipera berus (male reproductive cycle in relation to annual activity periods) 729–737.

AGE, Dionda nubila (age and growth) 547-550.

ALBINISM, Pituophis melanoleucus annectens (histochemical demonstration of two types of albinism) 932–935.

ANATOMY, Latimeria chalumnae (role of hyoid apparatus in feeding mechanism) 1–9; marsupial frogs (Hylidae) (morphology of pouch and in-

cubatory integument) 10-17.

ANOMALIÉS, Plecoglossus altivelis (incidence of gross malformation and vertebral anomalies in natural and hatchery-raised individuals) 29–35; Pseudopleuronectes americanus (bent fin-ray condition) 895–899.

- BEHAVIOR, Apareidon (piracicabae, ibitiensis) (feeding and spawning) 166-169; various goodeid species (eye-color changes during aggressive displays) 169-171; Fundulus diaphanus (burying behavior plasticity) 349-351; Australian elapid snakes (7 spp.) (behavioral thermoregulation) 452-458; Aetobatis narinari, Myliobatis californica (courtship and mating-related behavior) 553-556; Cichlasoma nigrofasciatum (parental care) 682-686; Lialis burtonis (behavioral thermoregulation) 738-743; Nerodia (rhombifera, cyclopion, fasciata, erythrogaster), Regina grahamii (role of temperature on behavioral associations) 744-754; Trachinotus carolinus (spawning) 884-886; Urolophus concentricus (mating behavior) 900-901; Sistrurus miliarius barbouri (caudal luring) 926-927; Hyla ebraccata (reproductive behavior) 928-930.
- BIOLOGY, Dionda nubila (reproductive biology, age and growth) 547–550.
- BREEDING, Ambystoma maculatum (consequences of within-year timing) 719-722.
- BROODS, Lake Malawi Cichlidae (mixed species broods) 874–875.
- CALLS, Ranidella bilingua (audiospectrograms) 96; Hyla (4 far eastern spp.) (audiospectrograms) 100–108; Hyla cinerea × Hyla gratiosa 577–584.
- CHROMOSOMES, Hyla suweonensis 103; Noturus flavus (complement; chromosomal race in Tennessee River drainage) 341-344; Salmo gairdneri aquilarum (karyotypic, electrophoretic and meristic characterization) 418-424; Chelonia mydas (karyotype and chromosomal banding patterns) 540-543; Cynoscion arenarius (technique for fish karyotype analysis using scale epithelium) 543-545; Bairdiella chrysoura, Archosargus probatoce-

phalus, Haemulon sciurus (C-banding of chromosomes) 545–547; Anguilla (anguilla, rostrata, australis) (cytotaxonomical interrelationships and sex chromosomes) 911–913; Phoxinus (cumberlandensis, neogaeus, oreas) (karyotypes) 913–916; Mystus (viitatus, cavasius), Plotosus canius 916–918.

CLEANING, Labroides phthirophagus (ingestion of host surface mucus and its effect on host species preference) 863–868; Lepomis cyanellus × Lepomis macrochirus (under laboratory conditions) 869– 870.

COLOR PHASES, Scarus psittacus (very small terminal phase individuals) 887-889.

COURTSHIP, Ginglymostoma cirratum 878-882.

- DEHYDRATION, Xenopus laevis, Rana (muscosa, pipiens), Bufo (boreas, cognatus), Scaphiopus couchi (physiological correlates of differential dehydration tolerances) 125–129; squamate reptiles (procedural and anatomical considerations for determination) 425–439; Anolis (roquet, cybotes, gundlachi) (responses to dehydration along altitudinal transects) 440–446.
- DEMOGRAPHY, Chelonia mydas (breeding population at Tortuguero, Costa Rica) 525-530; Desmognathus (ochrophaeus, monticola) 806-821; Notropis new species 822-830; Anolis (sagrei, distichus, angusticeps, carolinensis) (relation to injury rates) 839-850.

DESICCATION, Chamaeleo (jacksoni, hohneli) (desiccation tolerance and thermal maxima) 363-366.

- DEVELOPMENT, genus Acipenser (head, pectoral girdle skeleton and scales) 226–249; Nocomis micropogon, Rhinichthys cataractae (plus hybrids) (eggs, larvae and juveniles) 469–478; Bufo boreas (rapidity of metamorphosis) 537–540; Etheostoma proeliare (development in relation to egg morphology) 556–559; Prionotus scitulus (changes in swimbladder size) 611–615.
- DISEASE, Pseudopleuronectes americanus (bent fin-ray condition) 895–899.
- DISTRIBUTION, Agkistrodon himalayanus (Pakistan) 154-155; Anolis marmoratus (French Guiana) 371-373; notacanthiform fishes off Chile 892-
- ECOLOGY, Plethodon cinereus (microhabitats) 265–268; Nerodia (rhombifera, cyclopion, fasciata, erythrogaster), Regina grahamii (role of temperature in ecological associations) 744–754; Crotalus viridis (overwintering thermal ecology) 799–805; Desmognathus (ochrophaeus, monticola) (life histories and demography) 806–821; Notropis new species 822–830; Cacophis (squamulosus, harriettae, krefftii) (comparative ecology) 831–838; Anolis (sagrei, distichus, angusticeps, carolinensis) (relation to injury rates) 839–850.

INDEX

EGGS, Fundulus heteroclitus (ovarian changes in lunar spawning cycle) 118–125; Zu cristatus 165–166; perivitelline space and egg envelopes in bony fishes 210–226; Rhinichthys cataractae, Nocomis micropogon (plus hybrids) (egg development) 469–478; Seeloporus undulatus (water relations of parchment-shelled eggs) 478–482; Iguana iguana (egg mortality in nest) 531–534; Chrysemys picta (second clutch laying) 534–536; Etheostoma proeliare (egg morphology in relation to development) 556–559; Catostomus commersoni (factors affecting egg diameter) 699–704; Lutjanus campechanus (description of eggs) 704–708.

ELECTROPHORESIS, Anolis (41 spp.) (albumin immunological and nei electrophoretic distance correlation) 66–71; Hyla (japonica, suweonensis) 104; genus Hypentelium (isozyme variability) 280–290; Salmo gairdneri aquilarum 418–424; Hyla cinerea × Hyla gratiosa 577–584; Campostoma anomalum pullum × Campostoma oligolepis 584–594; Ambystoma (tigrinum mavortium, tigrinum nebulosum) (allozyme variation patterns) 594–605; Scaphiopus (5 spp.) (genetic relationships) 605–610.

EMBRYOLOGY, Notothenia coriiceps neglecta (giant nuclei in yolk sac syncytium) 909-911.

EVOLUTION, family Teiidae (subfamily Gymnophthalminae) (evolutionary history of South American microteiid lizards) 36–56; genus Nectophrynoides (evolution of reproductive modes) 193– 209; genus Hypentelium 280–290.

EXOTICS, Caiman crocodilus (established in south Florida) 152-154.

EYES, various species of Goodeidae (eye-color changes during aggressive display) 169-171.

FEEDING, Apareiodon (piracicabae, ibitiensis) 166–169; Hyla crucifer, Rana (catesbeiana, sylvatica), Bufo (americanus, woodhousei fowleri) (comparative ability to ingest suspended blue-green algae) 495– 503; Chrysemys s. scripta (effects of food availability and water temperature on feeding ecology) 503–514.

FERTILIZATION, Chitonotus pugetensis (internal fertilization) 162–165; Rana sylvatica (in vitro) 723– 728.

FOOD, Trematomus bernacchii (observations) 171–173; Chrysemys s. scripta (effects of food availability and water temperature on feeding ecology) 503–514; Oligocottus snyderi, Clinocottus analis, Artedius lateralis (comparative food habits in rocky intertidal habitat) 515–525; Scaphiopus (couchi, multiplicatus) (exploitation of food resources) 854–862; Labroides phthirophagus (ingestion of host surface mucus) 863–868; Sceloporus scalaris (food resource limitation of body growth) 921–923.

FOSSILS, Syllomus aegyptiacus (Miocene sea turtle) 621–625; Acentrophryne longidens (recent species identified from late Miocene deposits) 906–908; Bufo spinulosus (Pleistocene record from Peru) 935–936. FUNCTION, Latimeria chalumnae (role of hyoid apparatus in feeding mechanism) 1–9; early fishes (function of caudal fin) 559–562.

GENETICS, genus Hypentelium 280-290.

GEOGRAPHICAL LOCALITIES

Alabama, Notropis new species 822-830.

Antarctica, Trematomus bernacchii (Palmer Peninsula) 171–173; Notothenia coriiceps neglecta 909– 911

Arizona, Poeciliopsis occidentalis 876-878.

Atlantic Ocean (western), Anthias (nicholsi, menezesi, tenuis, woodsi, asperlinguis), Holanthias martinicensis 72-87.

Australia, Ranidella bilingua 93–99; elapid snakes (7 spp.) 452–458; Lialis burtonis 738–743; Varanus gouldii 755–767; Cyclorana platycephalus 787– 799; Cacophis (squamulosus, harriettae, krefftii) 831–838.

Bahamas, Anolis (sagrei, distichus, angusticeps, carolinensis) 839–850.

Borneo, *Bufo* (2 spp.), *Rana* (7 spp.), *Rhacophorus* (3 spp.) 446–451.

Brazil, Kentropyx vanzoi 616-620.

California, Gila bicolor vaccaceps 320–322; Bufo punctatus 362–363; Salmo gairdneri aquilarum 418–424; Oligocottus snyderi, Clinocottus analis, Artedius lateralis 515–525; Zaniolepis (latipinnis, frenata) 882–884; Acentrophryne longidens (fossil) 906–908.

Chile, notacanthiform fishes 892-895.

Colorado, Ambystoma tigrinum (subspecies mavortium and nebulosum) 594–605.

Costa Rica, Chelonia mydas 525-530.

Florida, Caiman crocodilus 152–154; Alligator mississippiensis 249–258; Nerodia (fasciata, sipedon, valida) 268–280; Prionotus scitulus 611–615; Alosa sapidissima 889–892; Anolis carolinensis, Kinosternon baurii, Chrysemys nelsoni, Alligator mississippiensis 930–932; Gambusia affinis holbrooki 676–681; Caretta caretta 773–780.

French Guiana, Anolis marmoratus 371-373.

Georgia, Hyla cinerea × Hyla gratiosa 577-584. Illinois, Campostoma anomalum pullum × Campostoma

Illinois, Campostoma anomalum pullum × Campostomo oligolepis 584–594.

Indo-West Pacific region, Blachea xenobranchialis 642–648.

Japan, Plecoglossus altivelis 29-35; Hyla (4 spp.) 100-108.

Kentucky, Aneides aeneus 463-468.

Kenya, treefrogs (family Hyperoliidae) 155.

Korea, Hyla (4 spp.) 100-108.

Louisiana, Pseudacris nigrita 56-66; Nerodia (rhombifera, cyclopion, fasciata, erythrogaster), Regina grahamii 744-754.

Massachusetts, Acipenser brevirostrum 114-117.

Mexico, Acanthemblemaria crockeri 137–141; Allotoca (maculata, dugesi) 408–417; Chelonia mydas 767–773; Urolophus concentricus (Gulf of California) 900–901.

Mississippi, Pseudacris nigrita 56-66.

Missouri, Cryptobranchus alleganiensis bishopi 536-537.

New England, marine turtles 290-295.

New Jersey, Rana catesbeiana 108-114; Pseudopleuronectes americanus 895-899.

New Mexico, Crotalus viridis 799-805.

New York, Pseudopleuronectes americanus 895-899. North Carolina, Ambystoma maculatum 719-722; Desmognathus (ochrophaeus, monticola) 806-821.

Ontario, Ambloplites rupestris 482-494.

Oregon, family Liparidae (13 spp.) 687-699.

Pacific Ocean (western), Poromitra crassiceps 87-93. Pakistan, Aghistrodon himalayanus 154-155.

Panama, Iguana iguana 531-534.

Pennsylvania, Enneacanthus gloriosus 344-345; Fundulus diaphanus 346-349.

Peru, Bufo spinulosus (Pleistocene fossil) 935–936.

Seychelles, Scarus psittacus 887-889.

South Carolina, Menidia menidia 886-887.

Sweden, Vipera berus 729-737.

Taiwan, Hyla (4 spp.) 100-108.

Texas, Sceloporus undulatus 850-854.

Virginia, Plethodon cinereus 265-268.

GROWTH, Rana pipiens (photoperiodic stimulation of growth in post-metamorphic individuals) 147–149; genus Sceloporus (geographic differences in growth rate) 259–264; Dionda nubila (age and growth) 547–550; Pseudolabrus celidotus 660–675; family Liparidae (13 spp.) (off Oregon) 687–699; Sceloporus scalaris (food resource limitation of body growth) 921–923.

HABITATS, Plethodon cinereus (microhabitats) 265– 268; Dermochelys coriacea, Lepidochelys kempi, Chelonia mydas, Caretta caretta, Eretmochelys imbricata (critical habitat in New England) 290–295.

HATCHING, Crocodylus porosus (hatching and creche formation) 359–362.

HERMAPHRODITISM, Geniacanthus semifasciatus, Centropyge interruptus (protogynous) 353–355.

HISTOLOGY, Pimelodus clarias (central rod of barbels) 908–909; Notothenia coriiceps neglecta (giant nuclei in yolk sac syncytium) 909–911; Pituophis melanoleucus annectens (histochemical demonstration of two types of albinism) 932–935.

HOME RANGE, Sceloporus jarrovi (spacing in juvenile individuals) 141–146.

HORMONES, Rana sylvatica (use of gonadotropinreleasing hormone to induce spermation) 723-728

HYBRIDIZATION, Pseudacris nigrita (analysis of a hybrid zone in southern United States) 56–66; genus Cyprinodon (experimental) 173–176; genus Pseudolabrus 176–180; Nocomis micropogon × Rhinichthys cataractae 469–478; Hyla cinerea × Hyla gratiosa 577–584; Campostoma anomalum pullum × Campostoma oligolepis (introgression) 584–594; Lepomis cyanellus × Lepomis macrochirus 869–870.

IDENTIFICATION, treefrogs (family Hyperoliidae) (from Kenya) 155.

INJÜRY, Anolis (sagrei, distichus, angusticeps, carolinensis) (ecological and demographic correlates of injury rates) 839–850.

KARYOLOGY (see CHROMOSOMES).

KARYOTYPE (see CHROMOSOMES).

KIDNEYS, Dicamptodon ensatus, Ascaphus truei (renal regulation of electrolytes) 918-921.

LARVAE, Chitonotus pugetensis (descriptive notes) 162–165; Rhinichthys cataractae, Nocomis micropogon (plus hybrids) (development) 469–478; Lutjanus campechanus (description of larvae) 704– 708.

LENGTH, Alosa sapidissima (length frequencies before and after spawning) 889-892.

LIFF HISTORIES, Desmognathus (ochrophaeus, monticola) 806-821; Notropis new species 822-830.

MARKING, Sceloporus undulatus (effect of paint marking on mortality) 850-854.

MATING, Urolophus concentricus 900-901.

MERISTICS, Salmo gairdneri (comparison of four stocks) 160-162.

METABOLISM, Xiphophorus helleri (group metabolism under controlled oxygen conditions) 562–564; Cyclorana platycephalus (energy metabolism of dormant water-holding frogs) 787–799.

METAMORPHOSIS, Bufo boreas (rapidity of metamorphosis) 537-540.

MIGRATION, Chelonia mydas (evidence of passive migration of hatchlings in sargassum) 366–368.

MORPHOLOGY, Hyla cinerea × Hyla gratiosa 577–584; Prionotus scitulus (sexual and developmental changes in swimbladder size) 611–615; marsupial frogs (Hylidae) (morphology of pouch and incubatory integument) 10–17; Lepomis macrochirus (morphology and asymmetry in southeastern United States) 18–29.

MORTALITY, Sceloporus undulatus (effect of paint marking) 850–854; Iguana iguana (egg mortality

in nest) 531-534.

MOVEMENT, Cryptobranchus alleganiensis bishopi (return of captive individuals to site of capture) 536–537; Alosa sapidissima (movement before and after spawning) 889–892.

NAVIGATION, Cryptobranchus alleganiensis bishopi (return of captive individuals to site of capture) 536–537.

NESTING, Alligator mississippiensis (north-central Florida) 249–259; Caretta caretta (activity) 709– 718; Anolis carolinensis, Kinosternon baurii, Chrysemys nelsoni (in Alligator nests) 930–932.

- NITROGEN EXCRETION, Bufo (2 spp.), Rana (7 spp.), Rhacophorus (3 spp.) (all from Borneo) 446–451.
- ORGANS, Sceloporus jarrovi, Anolis trinitatis (field observations on use of tongue-Jacobson's organ system) 356–359.
- ORIENTATION, Uta stansburiana, Sceloporus undulatus (to sun; hourly and monthly variation) 458– 469
- OSMOTIC EQUILIBRIUM, Nerodia (fasciata, sipedon, valida) (relation to sodium and water balance to survival in estuarine and freshwater races) 268–280; Dicamptodon ensatus, Ascaphus truti (renal regulation of electrolytes) 918–921.
- OSTEOLOGY, genus *Acipenser* (development of cranial and pectoral girdle skeleton) 226–249; genus *Uma* (cranial) 296–310.
- OVARIES, Fundulus heteroclitus (ovarian changes during lunar spawning cycle) 118–125.
- OXYGEN CONDITIONS, Xiphophorus helleri (group metabolism under controlled oxygen conditions) 562–564.
- OXYGEN CONSUMPTION, Plethodon (jordani, glutinosus, yonahlossee) (oxygen consumption during rest, activity and recovery) 781–787.
- PALEONTOLOGY, Syllomus aegyptiacus (Miocene sea turtle) 621–625; Acentrophryne longidens (recent species identified from late Miocene) 906–908; Bufo spinulocus (Pleistocene record from Peru) 935–936.
- PARENTAL CARE, Antennarius caudimaculatus (alterative reproductive mode in anglerfish) 551-553; Cichlasoma nigrofasciatum 682-686.
- PHOTOPERIODICITY, Rana pipiens (stimulation of growth in postmetamorphic individuals) 147–149.
- PHYSIOLOGY, Xenopus laevis, Rana (muscosa, pipiens), Bufo (boreas, cognatus), Scaphiopus couchii (physiological correlates of differential dehydration tolerance) 125–129; Chelonia mydas (body temperature and heat transfer) 767–773; Plethodon (jordani, glutinosus, yonahlossee) (oxygen consumption during respiration and recovery) 781–787; Cyclorana platycephalus (energy metabolism of dormant waterholding frogs) 787–799; Crotalus viridis (overwintering thermal ecology) 799–805; Poeciliopsis occidentalis (energetics of viviparity) 876–878; Sceloporus occidentalis (effects of parietalectomy on energy expenditure) 923–925.
- POLYCHROMATISM, Acanthemblemaria crockeri (in Gulf of California) 137–141.
- POPULATIONS, Everglades fishes (fluctuations) 870–874; Lake Malawi Cichlidae (mixed species broods) 874–875.
- REPRODUCTION, Rana catesbeiana (behavior) 108-114; Acipenser brevirostrum (in Connecticut River

- drainage, Massachusetts) 114-117; Trematomus bernacchii (observations) 171-173; Nectophrynoides malcolmi (biology and evolution of reproductive modes in genus Nectophrynoides) 193-209; Ambloplites rupestris (reproductive biology) 482-494; Chrysemys picta (second-clutch egg laying) 534-536; Dionda nubila (reproductive biology) 547-550; Antennarius caudimaculatus (parental care as an alternative reproductive mode) 551-553; Aetobatis narinari, Myliobatis californica (courtship and mating-related behavior) 553-556; Pseudolabrus celidotus 660-675; family Liparidae (13 spp.) (off Oregon) 687-699; Ambystoma maculatum (consequences of within-year timing) 719-722; Rana sylvatica (potential using gonadotropin-releasing hormone) 723-728; Vipera berus (male reproductive cycle in relation to annual activity periods) 729-737; Notropis new species 822-830; Poeciliopsis occidentalis (energetics of viviparity) 876-878; Ginglymostoma cirratum (courtship and copulation) 878-882; Zaniolepis (latipinnis, frenata) (seasonal spawning cycle) 882-884; Trachinotus carolinus (spawning behavior) 884-886; Menidia menidia (spawning) 886-887; Urolophus concentricus 900-901; Hyla ebraccata (reproductive behavior) 928-930; Anolis carolinensis, Kinosternon baurii, Chrysemys nelsoni (nesting sites in alligator nests) 930-932.
- SCALES, genus Acipenser (development) 226-249.
- SEX CHARACTERS, Gambusia affinis holbrooki (abnormal expression caused by paper mill effluents) 676-681.
- SEXUAL DIMORPHISM, Urolophus concentricus 900-901.
- SKELETON, genus Acipenser (pectoral girdle skeleton development) 226–249.
- SPATIAL RELATIONSHIPS, Sceloporus jarrovi (in juvenile individuals) 141–146.
- SPAWNING, Fundulus heteroclitus (ovarian changes during lunar spawning cycle) 118–125; Apareiodon (piracicabae, ibitiensis) 166–169; Zaniolepis (latipinnis, frenata) (seasonal cycle) 882–884; Trachinotus carolinus (spawning behavior) 884–886; Menidia menidia 886–887; Alosa sapidissima (movement, weight loss and length frequencies before and after spawning) 889–892.
- SURVIVAL, Oncorhynchus tshawytscha (survival and cortical concentration altered by sea water and confinement) 351–353.
- SWIMMING, *Caretta caretta* (thermal influences on swimming speed) 773–780.
- SYNONYMY, Trigla africana (junior synonym of Chelidonichthys lastoviza) 156–157; Piabucina erythrinoides (P. pleurotaenia a junior synonym) 335–340; Liolaemus chacoensis (L. emmae a junior synonym) 936–937.
- SYSTEMATICS, genus Anthias (two new western Atlantic species and redescription of A. asperlinguis) and Holanthias martinicensis (review) 72–87;

Poromitra crassicets (family Melamphaidae) (new western Pacific species) 87-93; Ranidella bilingua (new Australian species) 93-99; Cottus girardi (valid species) 158-159; Congrogadus marginatus (member of congrid eel genus Ariosoma) 159-160; Salmo gairdneri (meristic comparison of four stocks) 160-162; genus Hypentelium (genetics and protein electrophoresis) 280-290; Anolis sericeus 310-320: Gila bicolor vaccacets (new subspecies) 320-322: Notrobis lirus (review) 323-334: Piabucina erythrinoides (P. pleurotaenia a junior synonym) 335-340; genus Macrognathus (family Mastacembelidae) (revision) 385-391; Eleutherodactylus quinquagesimus (new species) 392-396; Congrogadoides amplimaculatus, Halimuraena lebopareia (family Congrogadidae) (new species) 396-402; Bascanichthys (scuticaris, bascanium) (review of genus in Gulf of Mexico) 402-408; Allotoca maculata (family Goodeidae) (new species; comments on Allotoca dugesi) 408-417; Salmo gairdneri aquilarum (electrophoretic, karvotypic and meristic characterization) 418-424; genus Scaphiopus (5 spp., 2 subgenera, 13 populations examined for 21 protein loci) 605-610; genus Kentropyx (relationships within genus; Kentropyx vanzoi described as new) 616-620; genus Chromis (review of the 7 eastern Pacific species, of which 3 are described as new) 626-641; Blachea xenobranchialis (new genus and species) 642-648; genus Hypoplectrus (enigmatic aspects of speciation) 649-679; Hoplunnis pacifica (additions to original description) 901-903; Cobitis linea (redescription, with remarks on subgenus Bicanestrinia) 903-906; Acentrophryne longidens (recent species identified from late Miocene) 906-908; Anguilla (anguilla, rostrata, australis) (cytotaxonomical interrelationships) 911-913; Liolaemus chacoensis (Liolaemus emmae a junior synonym) 926-937; Ambystoma tigrinum (multiple species ?) 938-941.

TAXONOMY (see SYSTEMATICS).

- TECHNIQUES, fishes (karyotype analysis using scale epithelium) 543-545.
- TEMPERATURE, Lepidosiren paradoxa (thermal responses) 130–136; Fundulus diaphanus (preference in southwestern Pennsylvania) 346–349; Bufo punctatus (body temperature and activity)

- 362–363; Chamaeleo (jacksoni, hohneli) (desiccation tolerance and thermal maxima) 363–366; Chrysemys s. scripta (effect of water temperature on feeding ecology) 503–514; Nerodia (rhombifera, cyclopion, fasciata, erythrogaster), Regina grahamii (role of temperature on behavioral and ecological associations) 744–754; Varanus gouldii (thermal biology) 755–767; Chelonia mydas (body temperature and heat transfer) 767–773; Caretta caretta (thermal influences on swimming speed) 773–780; Crotalus viridis (overwintering thermal ecology) 799–805.
- TERRITORIAL BEHAVIOR, Sceloporus jarrovi (spacing in juveniles) 141-146.
- TERRITORIALITY, Aneides aeneus 463–468.
- THERMAL PREFERENCES, Chelydra serpentina 149-152.
- THERMAL RESPONSES, Lepidosiren paradoxa 130-136
- THERMOREGULATION, Australian elapid snakes (7 spp.) (behavioral thermoregulation) 452–458; Lialis burtonis (behavioral) 738–743.
- TRAPPING, aquatic turtles (new methods) 368–371.
- VERTEBRAE, *Plecoglossus altivelis* (incidence of vertebral anomalies in natural and hatchery-raised individuals) 29-35.
- VIVIPARITY, Poeciliopsis occidentalis (energetics) 876-878.
- VOCALIZATION, Hyla cinerea × Hyla gratiosa 577– 584.
- WATER BALANCE, Nerodia (fasciata, sipedon, valida) (relation of sodium and water balance to survival in sea water of estuarine and freshwater races) 268–280; Bufo (2 spp.), Rana (7 spp.), Rhacophorus (3 spp.) (all from Borneo) (water balance and nitrogen excretion) 446–451; Sceloporus undulatus (water relations of parchment-shelled eggs) 478–482; Cyclorana platycephalus (energy metabolism of dormant water-holding frogs) 787–799.
- WATER LOSS, squamate reptiles (procedural and anatomical considerations for determination) 425–439.
- WEIGHT, Alosa sapidissima (weight loss after spawning) 889–892.

